



Petri Nets

Business Process Management and Flexibility
Barbara Re, Phd

Carl Adam Petri

- ▶ Introduced in 1962 (Petri's PhD thesis)
- ▶ 60's and 70's main focus on theory 80's focus on tools and applications
- ▶ Now applied in several fields
- ▶ Success due to simple and clean graphical and conceptual representation



(1926 – 2010)



Formal and abstract business process specification

- ▶ **Formal:** the semantics of process becomes well defined and not ambiguous
- ▶ **Abstract:** execution environment is disregarded (Remind about separation of concerns)

- ▶ Petri Net can be used to model dynamic system with a static structure:
 - ▶ The static structure is represented by a Petri Net (process level)
 - ▶ The dynamic behavior is capture by the token play of the Petri Net (instance level)

Basic Elements

Place

- ▶ A place can stand for a state a medium a buffer a condition a repository of resources a type ...

Transition

- ▶ A transition can stand for an event an operation a transformation a transportation a task an activity ...

Token

- ▶ A token can stand for a physical object a piece of data a resource an activation mark a message a document a case ...

Petri Net - Definition

A Petri Net is a tuple (P, T, F, M_0) where

- ▶ P is a finite set of places
- ▶ T is a finite set of transitions
- ▶ $F \subseteq (P \times T) \cup (T \times P)$ is a flow relation
- ▶ $M : P \rightarrow \mathbb{N}$ is the initial marking

Marking

- ▶ A Marking $M: P \rightarrow \mathbb{N}$ denotes the number of tokens in each place
- ▶ The marking of a Petri net represents its state
- ▶ $M(a) = 0$ denotes the absence of tokens in a place a

Firing a transition

- ▶ Let (P, T, F) be a Petri net and M a marking.
- ▶ The firing of a transition is represented by a state change of the Petri net
 - ▶ $M \rightarrow M'$ indicates that by firing t , the state of the Petri net changes from M to M'
 - ▶ $M \rightarrow M'$ indicates that there is a transition t such that $M \rightarrow M'$
 - ▶ $M_1 \xrightarrow{*} M_n$ means that there is a sequence of transition t_1, t_2, \dots, t_{n-1} for $1 \leq i < n$
 - ▶ A state M' is reachable from a state M if and only if $M \xrightarrow{*} M'$

Pre-set and Post-set - Transitions

A place p is an input place for transition t iff

$$(p, t) \in F$$

We let $\bullet t$ denote the set of input places of t .

(pre-set of t)

A place p is an output place for transition t iff

$$(t, p) \in F$$

We let $t\bullet$ denote the set of output places of t .

(post-set of t)

Pre-set and Post-set - Place


Analogously, we let

- p denote the set of transitions that share p as output place
- p • denote the set of transitions that share p as input place

Formally:


$$\bullet x = \{ y \mid (y, x) \in F \}$$
$$x \bullet = \{ y \mid (x, y) \in F \}$$

Sample petri net – single instance



**GIVE THE FORMAL DEFINITION OF THE PETRI
in term of set T, P, F, pre-set e post-set!!!**


Sample petri net – multiple instance



M. Weske: Business Process Management,
© Springer-Verlag Berlin Heidelberg 2012, 2007


What are the instance active?
Give the marking for each active instance!

Safe-petri net or 1-bounded




(a) Conditions p1 and p2 met, and condition for p3 not met: t1 is enabled


t1 fires
⇒



(b) Firing of t1 withdraws tokens from input places and puts token to output place.




(c) t1 not enabled, since output condition is met




(d) t1 not enabled since not all input conditions are met

Sample Petri net – multiple instance



GIVE THE MARKING FOR EACH INSTANCE!!!!

Coloured Petri Net



- ▶ In the context of colored petri net tokens are typed so that difference instances are always addressed

Exercise


Modelling using petri net
the traffic light scenario



Exercise

Modelling using petri net two
traffic light

Complete the net in such a
way that the two lights can
never be green at the same
time




Reachability tree


Definition: The reachability tree, also called marking graph, of a Petri net (N, M_0) is a graph in which

- nodes corresponds to reachable markings
- arcs correpond to feasible transitions

Remark: the reachability tree ca be infinite



Coverability Tree (from Murata)



If, on the path from the root to M , there exists a marking M'' such that $M'(p) \geq M''(p)$ for each p and $M' \neq M''$ (i.e., M'' is coverable), then replace $M'(p)$ by ω for each p such that $M'(p) > M''(p)$


$M_0 [1,0] \xrightarrow{t_1} M_1 [1,1]$

$M_0 [1,0] \xrightarrow{t_1} M_1 [1, \omega]$

$M_0 [1,0] \xrightarrow{t_1} M_1 [1, \omega] \xrightarrow{t_1} \dots$

Exercise

- ▶ Draw the reachability graph of the net





Mapping from BPMN to Petri Nets

Mapping a Need for Verification

- ▶ Business Processes are typically defined by business experts which ask for graphical and user-friendly notations
- ▶ Most notations such as BPMN 2.0 used typically lack precisely defined semantics limiting the possibility of analysis
- ▶ In order to formally analysis Business Process we need to derive a formal model of the Business Process being verified
 - ▶ From BPMN 2.0 to Petri Net
 - ▶ From BPMN 2.0 to Process Algebra
 - ▶ From ... To ...

















From BPMN 2.0 to Petri Net (I)

- ▶ Raedts et. al, 2007 - *Raedts, I., Petkovic, M., Usenko, Y. S., van der Werf, J. M., Groote, J. F., and Somers, L. J. (2007). Transformation of BPMN models for Behaviour Analysis, In MSVVEIS, pages 126-137.*
 - ▶ It converts BPMN 2.0 to Petri Nets extended with inhibitor and reset arcs
 - ▶ The proposed mapping is not comprehensive enough in order to clearly address all the BPMN 2.0 elements (i.e. messages, sub-process and loop activity are not included)
- ▶ Awad, 2010 - *Awad, A., Decker, G., and Lohmann, N. (2010). Diagnosing and repairing data anomalies in process models. BPM Workshops, vol. 43 of Lecture Notes in Business Information Processing, pp. 5-16. Springer.*
 - ▶ It formalizes the basic data object together with the more traditional control flow elements
 - ▶ It is missed a more general and complex mapping on the BPMN 2.0 elements such as sub-process, messages, etc.




From BPMN 2.0 to Petri Net (II)


- ▶ Dijkman, R. M., Dumas, M., and Ouyang, C. (2008). Semantics and analysis of business process models in BPMN. *Inf. Softw. Technol.*, 50(12):1281-1294.
 - ▶ Up to our review it the most complete methodology to transform BPMN 2.0 models into Petri
 - ▶ It starts from the basic elements and introduces some more details regarding multiple instances, sub-process and exception handling
 - ▶ It can be easy extended to the whole specification

BPMN Object	Petri-net Module	BPMN Object	Petri-net Module
 Start s		 End e	
 Message E		 Task T	
 Fork F1		 Join J1	
 (Data-based) Decision D1		 Merge M1	

Macro expansions for repeated activities




(a) "while-do" loop




(b) "do-until" loop


Macro expansion for a multi-instance activity where n is known at design time




Mapping of a task with an exception flow




Mapping of message flows between BPMN processes




(a) task to task



(b) end event to task





(c) task to start event





(d) end event to start event


Basic Example of Mapping BP into Petri Net




Basic Example of Mapping BP into Petri Net (step 1 participant B)




Basic Example of Mapping BP into Petri Net (step 2 participant B)





Basic Example of Mapping BP into Petri Net (step 3 participant B)




Basic Example of Mapping BP into Petri Net (participant B)



Basic Example of Mapping BP into Petri Net



Mapping into Practice



Mapping into Practice

