Binary Search Tree in Java

Prof. Michele Loreti

Programmazione Avanzata Corso di Laurea in Informatica (L31) Scuola di Scienze e Tecnologie







Our API consists of...

1. An interface BSTree that contains all the functionalities a *Binary Search Tree* must provide;



- 1. An interface BSTree that contains all the functionalities a *Binary Search Tree* must provide;
- 2. Classes that implement interface BSTree:



- 1. An interface BSTree that contains all the functionalities a *Binary Search Tree* must provide;
- 2. Classes that implement interface BSTree:
 - BSTreeEmpty, that represents an empty tree;



- 1. An interface BSTree that contains all the functionalities a *Binary Search Tree* must provide;
- 2. Classes that implement interface BSTree:
 - BSTreeEmpty, that represents an empty tree;
 - BSTreeNode, that represents a tree with at leas one element.

Interace BSTree. . .

Prof. Michele Loreti

}



180 / 453

Interface BSTree is parametrised with the type T of handled elements:
public interface BSTree<T> {

Binary Search Tree in Java

Interace BSTree. . .

}



Interface BSTree is parametrised with the type T of handled elements: public interface BSTree<T> {

Which methods you want to add to this interface?

Interace BSTree. . .



Interface BSTree is parametrised with the type T of handled elements: public interface BSTree<T> {

Which methods you want to add to this interface?

- T add(T value)
- boolean find (T v)
- int size ()

}

- boolean isEmpty()
- BSTree<T> remove(T value)



Class BSTreeEmpty describes an *empty* tree.

Class BSTreeNode describes a tree with at least one element.

Utility methods can be added to interface BSTree < T > to implement recurrent operations and simplify the use of the API.



To be continued...

Prof. Michele Loreti

Binary Search Tree in Java

182 / 453